Index of Authors

Entries marked * refer to abstracts or titles of papers listed in Proceedings at meetings of the Society for Applied Bacteriology. Small roman numerals refer to pages in Proceedings at meetings of the Society for Applied Bacteriology.

Entries marked † refer to the titles of Symposium papers published in a separate volume.

†Accolas, J-P. *see* Bergere, J-L.

Adegbola, R. A. *see* Old, D. C.

Aït-Abdelkader, N. *see* Champ, M.

Al-Hiti, M. A. A. & Gilbert, P. A note on inoculum reproducibility: a comparison between solid and liquid culture 173

Al-Qudah, A. A., Mostratos, A. & Quesnel, L. B. A proposed life cycle for the Reiter treponeme 417

Anslow, P. A. *see* Broughall, J. M.

†Archer, D. B. & Harris, J. E. Methanogenic bacteria and methane production in various habitats i

*Ashton, C. J. *see* Dew, I.

Atkey, P. T. & Wood, D. A. An electron microscope study of wheat straw composted as a substrate for the cultivation of the edible mushroom (*Agaricus bisporus*) 293

Atkinson, T. *see* Minton, N. P.

Austin, B. *see* Embley, T. M.

Bailey, L. *Melisococcus pluton*, the cause of European foulbrood of honey bees (*Apis* spp.) 65

†Baird-Parker, A. C. *see* Crowther, J. S.

†Barnes, E. M. The normal anaerobic intestinal microflora of animals ii

*Bartholomew, B. A. & Stringer, M. F. Application of an ELISA technique for the detection of *Clostridium perfringens* enterotoxin ix

*Bartlett, C. L. R. *Legionella* in hospital and hotel water supplies viii

Bates, M. L., Lindsay, D. G. & Watson, D. H. A note on inhibition test and electorphoretic detection limits of antibiotics used in British animal husbandry 495

*Battersby, N. S. Systematics of sulphate-reducing bacteria ii

†Beerens, H., Neut, C. & Romond, C. Important properties in the differentiation of Gram positive non-sporing rods in the genera *Eubacterium*, *Propionibacterium*, *Bifidobacterium* and *Actinomyces* i

Bell, R. G. & De Lacy, K. M. Nitrite loss and spoilage microflora development in chub-packed luncheon meat 473

Bello, H. *see* Zemelman, R.

†Bergere, J-L. & Accolas, J-P. Non-sporing and sporing anaerobes in dairy products ii

*Berkeley, R. C. W. *see* Shute, L. A.

*Beveridge, E. G. *see* Dew, I.

*Bolton, G. *see* Madden, R. H.

*Bousfield, I. J. *see* Keddie, R. M.

*Boyd, I. *see* Dew, I.

Brocklehurst, T. F., White, C. A. & Dennis, C. The microflora of stored coleslaw and factors affecting the growth of spoilage yeasts in coleslaw 57

*Brown, D. F. J. Experiences in clinical microbiology–blood and urine cultures v

Brown, J. L. *see* Hardy, J. A.

Broughall, J. M., Anslow, P. A. & Kilsby, D. C. Hazard analysis applied to microbial growth in foods: development of mathematical models describing the effect of water activity 101

Bruce, J. *see* Davey, G. M.

Bryant, T. N. *see* West, P. A.

*Bryn, K. *see* Jantzen, E.

Buswell, J. A. *see* Campbell, A. C.

Campbell, A. C. & Buswell, J. A. The intestinal microflora of farmed Dover sole (*Solea solea*) at different stages of fish development 215

Carr, J. G. Microbes I have known: a study of those associated with fermented products 383

*Carver, M. A. & Jones, C. W. Detection of cytochrome patterns in bacteria xx

Champ, M., Szylit, O., Raibaud, P. & Aït-Abdelkader, N. Amylase production by three *Lactobacillus* strains isolated from chicken crop 487

†Cheng, K. J. & Costerton, J. W. Microbial adhesion and colonisation within the digestive tract i

Cho, K. Y. *see* Hazlewood, G. P.

*Cohen, B. A. *see* Hudson, M. J.

*Colbourne, J. S. Microbiological quality of public water supplies vii

Coleman, G. A. Hydrolysis of Fraction 1 leaf protein and casein by rumen entodiniomorphid protozoa 111

*Collerane, E. *see* Reynolds, P. J.

*Coleman, E. *see* Wilkie, A.

*Collins, C. H. Mycobacteria in hospital water supplies viii

Collins, C. H. & Grange, J. M. The bovine tubercle bacillus 13

COLLINS, M. D. Isoprenoid quinones in bacterial classification and identification xviii
COLLINS, M. O. *see* SHAH, H. N.
†COOK, A. R. *see* HILL, M. J.
†COSTERTON, J. W. *see* CHENG, K. J.
†CROWTHER, J. S. & BAIRD-PARKER, A. C. Factors affecting the growth of anaerobes in foods ii
CUNLIFFE, W. J. *see* EADY, E. A.
CUTTS, D. W. *see* HURRELL, D. J.
DADD, A. H., MCCORMICK, K. E. & DALEY, G. M. Factors influencing the resistance of biological monitors to ethylene oxide 39
DAINTY, R. H. & HIBBARD, C. M. Precursors of the major end products of aerobic metabolism of *Brochothrix thermosphacta* 127
DAINTY, R. H. & HOFMAN, F. J. K. The influence of glucose concentration and culture inhibition time on end-product formation during aerobic growth of *Brochothrix thermosphacta* 233
DALEY, G. M. *see* DADD, A. H.
*DANDO, T. R. *see* KEDDIE, R. M.
DAVEY, G. M., BRUCE, J. & DRYSDALE, E. M. Isolation of *Yersinia enterocolitica* and related species from the faeces of cows 439
DAVIS, J. G. Personal recollections of developments in dairy bacteriology over the last fifty years 1
DAWSON, R. M. C. *see* HAZLEWOOD, G. P.
DE LACY, K. M. *see* BELL, R. G.
DENNIS, C. *see* BROCKLEHURST, T. F.
*DENT, V. E. & WILLIAMS, R. A. D. A combined biochemical approach to the taxonomy of Gram positive rods xix
*DERRICK, C. M. *see* MACKEY, B. M.
DESCHACHT, Q. A note on the use of a pocket-calculator to work out MPN values 499
*DEW, I., BEVERIDGE, E. G., BOYD, I., STEVENS, R. & ASHTON, C. J. Filament formation and other morphological variations induced in growing bacteria by glycolmonophenylethers xi
*DOBSON, G., MINNIKIN, D. E. & GOODFELLOW, M. Systematic analysis of complex mycobacterial lipids xviii
†DRASAR, B. S. Other anaerobes–curved and spiral organisms i
*DRUCKER, D. B. & TAVAKKOL, A. Chromatographic analysis of volatile end products of Gram positive bacteria xix
DRUCKER, D. B. *see* TAVAKKOL, A.
DRYSDALE, E. M. *see* DAVEY, G. M.
EADY, E. A., HOLLAND, K. T. & CUNLIFFE, W. J. Production and partial purification of a peptide antibiotic from *Staphylococcus epidermidis* 461
*EASTER, M. C. Impedance measurements for the enumeration of micro-organisms in bakery products and ingredients vi
EKLUND, T. & JARMUND, T. Microculture model studies on the effect of various gas atmospheres on microbial growth at different temperatures 119
EMBLEY, T. M., GOODFELLOW, M., MINNIKIN, D. E. & AUSTIN, B. Fatty acid, isoprenoid quinone and polar lipid composition in the classification of *Renibacterium salmoninarum* 31
EVERY, D. Quantitative test for *Bacteroides nodosus* pilus protein by an agglutination-absorption test 305
FARIS, A., LINDAHL, M., LJUNGH, Å., OLD, D. C. & WADSTROM, T. Autoaggregating *Yersinia enterocolitica* express surface fimbriae with high surface hydrophobicity 97
†FERNIE, D. S. *see* WALKER, P. D.
*FOWLER, V. J., LUDWIG, W. & STACKEBRANDT, E. Ribosomal ribonucleic acid cataloging in bacterial systematics xv
FRICKER, C. R. A novel procedure for the detection of enteric pathogens in wild birds viii
*FRICKER, C. R. The effects of different storage procedures on the ability of selective media to recover *Campylobacter* spp. ix
FROST, A. J. *see* HENRY, D. P.
GAPES, J. R., LARSEN, V. F. & MADDOX, I. S. A note on procedures for inoculum development for the production of solvents by a strain of *Clostridium butylicum* 363
*GAYA, P., MEDINA, M. & NUÑEZ, M. Influence of salting and ripening conditions on the survival of Enterobacteriaceae in raw sheep milk Manchego cheese xiii
*GEDDES, D. A. *see* SHAH, H. N.
GHENGHESH, K. S. *see* TAVAKKOL, A.
GILBERT, P. A. *see* AL-HITI, M. A. A.
*GILBERT, P. D. *see* HERBERT, B. N.
*GILBERT, R. J. *see* HUDSON, M. J.
†GOLDBERG, H. S. Taxonomic status of Gram negative non-sporing anaerobic rods (Bacteriodaceae) i
GONZALEZ, C. *see* ZEMELMAN, R.
*GOODFELLOW, M. & MINNIKIN, D. E. Introduction to chemosystematics xv
GOODFELLOW, M. *see* *DOBSON, G.; *also* EMBLEY, T. M.; *also* *O'DONNELL, A. G.
GRANGE, J. M. *see* COLLINS, C. H.
*GRANT, W. D. *see* ROSS, H. N. M.; *also* †TINDALL, B. J.
*GUTTERIDGE, G. S. *see* SHUTE, L. A.
GYLLENBERG, H. *see* MÄYRÄ-MÄKINEN, A.
HALLIDAY, J. *see* SOMASEGARAN, P.
*HAMILTON, W. A. The role of

sulphate-reducing bacteria in anaerobic corrosion iii
*HAMILTON, W. A. *see* ROSS, D.
†HARDIE, J. M. Methods for isolation and identification of anaerobes ii
HARDIE, J. M. *see* KNIVETT, V. A.; *also* *SHAH, H. N.
*HARDY, J. A. & BROWN, J. L. Novel mechanisms of corrosion due to sulphate-reducing bacteria iii
†HARRIS, J. E. *see* ARCHER, D. B.; *also* *ROSS, H. N. M.
*HAVILL, D. C. *see* INGOLD, A.
HAZLEWOOD, G. P., CHO, K. Y., DAWSON, R. M. C. & MUNN, E. A. Subcellular fractionation of the Gram negative rumen bacteria, *Butyrivibrio* S2, by protoplast formation, and localisation of lipolytic enzymes in the plasma membrane 337
HENRY, D. P., FROST, A. J., SAMUEL, J. L., O'BOYLE, D. A. & THOMSON, R. H. Factors affecting the survival of *Salmonella* and *Escherichia coli* in anaerobically fermented pig waste 89
*HERBERT, B. N. & GILBERT, P. D. Enumeration and isolation of sulphate-reducing bacteria iii
*HERBERT, R. A. *see* MACFARLANE, G. T.; *also* *RUSS, M. A.
HIBBARD, C. M. *see* DAINTY, R. H.
†HILL, M. J. & COOK, A. R. Nitrogen metabolism in the gut ii
HILL, M. J. *see* HUDSON, M. J.
HILLMAN, K. *see* SCOTT, R. I.
†HINE, P. *see* WALKER, P. D.
†HOBBS, G. Problems in the identification and taxonomy of clostridia i
*HOBBS, G. Electrical measurement of microbial growth and numbers iv
†HOBBS, G. *see* ROBERTS, T. A.
HOFMAN, F. J. K. *see* DAINTY, R. H.
HOLLAND, K. T. *see* EADY, E. A.
*HUDSON, M. J., COHEN, B. A., HILL, M. J., KOLVIN, J. & GILBERT, R. J. The differentiation of *Clostridium sporogenes* and *Cl. botulinum* by the enzymatic activities expressed by young cultures ix
HUGHES, A. *see* HURST, A.
HURLEY, M. A. & ROSCOE, M. E. Automated statistical analysis of microbial enumeration by dilution series 159
HURRELL, D. J., LINE, S. J. & CUTTS, D. W. Isolating samples in the chamber of a steam-formaldehyde sterilizer 135
HURST, A. & HUGHES, A. The protective effect of some food ingredients on *Staphylococcus aureus* MF 31 81
†IMPEY, C. S. Preservation of anaerobes ii
INGOLD, A. & HAVILL, D. C. Microbial sulphate reduction and redox potential xi
*INGOLD, A. *see* MORISETTI, M.
*JACKMAN, P. J. H. Bacterial taxonomy based on electrophoretic protein patterns xvi
*JANTZEN, E. & BRYN, K. Whole cell and lipopolysaccharide fatty acid and sugars of Gram negative bacteria xvii
JARMUND, T. *see* EKLUND, T.
JARVIS, B., SEILER, D. A. L., OULD, A. J. L. & WILLIAMS, A. P. Observations on the enumeration of moulds in food and feedingstuffs 325
*JOHNSTON, H. General discussion–prospects and possibilities vii
*JOHNSTON, R. *see* SCHOFIELD, J.
†JONES, J. G. Anaerobic aquatic environments i
*JONES, L. W. *see* CARVER, M. A.
KAGEI, R. F. *see* MICHELS, M. J. M.
*KAISER, P. Utilisation of pectin by anaerobic bacteria from human faeces xiii
*KEDDIE, R. M., BOUSFIELD, I. J., DANDO, T. R. & SHAW, S. Simple, rapid methods of cell wall analysis as an aid in the identification of coryneform bacteria xviii
*KEITH, S. M. *see* RUSS, M. A.
KILSBY, D. C. *see* BROUGHALL, J. M.
KISH, S., SHARF, R. & MARGALITH, P. A note on a selective medium for wine yeasts 177
*KILGER, B. N. *see* MORISETTI, M.
KNIVETT, V. A., SHAH, H. N., MCKEE, A. S. & HARDIE, J. M. Numerical taxonomy of some non-saccharolytic and saccharolytic *Bacteroides* species 71
KOEDA, T. *see* NAKAMURA, M.
*KOLVIN, J. *see* HUDSON, M. J.
*KROPPENSTEDT, R. M. Systematic analysis of fatty acids and other lipids of actinomycetes and coryneform bacteria xvii
KROPPENSTEDT, R. M. *see* SHAH, H. N.
LALIBERTÉ, M. & MAYRAND, D. Characterization of black-pigmented *Bacteroides* strains isolated from animals 247
LAMP, R. P. M., MOUTON, R. P. & MULDERS, S. L. T. Performance of a semi-automated antibiotic susceptibility testing system (ABAC) 209
LARSEN, V. F. *see* GAPES, J. R.
†LATHAM, M. J. Industrial applications of anaerobes ii
LEE, J. V. *see* WEST, P. A.
*LEVETT, P. N. Miniaturised methods for the identification of anaerobic bacteria xiii
LINDAHL, M. *see* FARIS, A.
LINDSAY, D. G. *see* BATES, M. L.
LINE, S. J. *see* HURRELL, D. J.
LJUNGH, Å. *see* FARIS, A.
LLOYD, D. *see* SCOTT, R. I.; *also* YARLETT, N.
*LUDWIG, W. *see* FOWLER, V. J.

†LUND, B. M. Anaerobes in relation to foods of plant origin ii
*LUND, B. M. & WYATT, G. M. The effect of redox potential, and its interaction with sodium chloride concentration, on the probability of growth of *Clostridium botulinum* type E from spore inocula ix
*MACFARLANE, G. T. & HERBERT, R. A. Enumeration, identification and maintenance of autotrophic nitrifying bacteria isolated from soils and marine sediments xiv
*MACFARLANE, T. W. *see* SHAH, H. N.
*MACKEY, B. M. & DERRICK, C. M. The use of electrical conductance measurements to monitor repair of injury in *Salmonella typhimurium* xii
*MADDEN, R. H. & BOLTON, G. Redox potential as an indicator of numbers of anaerobes in vacuum-packed meat and meat products x
MADDOX, I. S. *see* GAPES, J. R.
*MAN, Y. M. *see* RUSS, M. A.
MANNINEN, M. *see* MÄYRÄ-MÄKINEN, A.
*MANSON, R. *see* SCHOFIELD, J.
MARA, D. D. & ORAGUI, J. I. Sorbitol-fermenting bifidobacteria as specific indicators of human faecal polution 349
MARGALITH, P. *see* KISH, S.
MARSH, J. *see* MINTON, N. P.
MARTIN, K. L. *see* PHILLIPS, A. P.
MÄYRÄ-MÄKINEN, A., MANNINEN, M. & GYLLENBERG, H. The adherence of lactic acid bacteria to the columnar epithelial cells of pigs and calves 241
MAYRAND, D. *see* LALIBERTÉ, M.
MCCORMICK, K. E. *see* DADD, A. H.
MCKEE, A. S. *see* KNIVETT, V. A.
†MEAD, G. C. *see* ROBERTS, T. A.
*MEDINA, M. *see* GAYAR, P.
MERINO, C. *see* ZEMELMAN, R.
MICHELS, M. J. M. & KAGEI, R. F. Egg yolk trypticase soy agar for the enumeration of heat damaged spores of *Clostridium sporogenes* 203
*MINNIKIN, D. E. *see* DOBSON, G.; *also* EMBLEY, T. M.; *also* GOODFELLOW, M.; *also* *O'DONNELL, A. G.
MINTON, N. P., MARSH, J. & ATKINSON, T. The R-factors of multiple antibiotic resistant faecal coliforms isolated from a domestic dog 445
MOLIN, G., STENSTRÖM, I-M., & TERNSTROM, A. The microbial flora of herring fillets after storage in carbon dioxide, nitrogen or air at 2°C 49
MONDACA, M. A. *see* ZEMELMAN, R.
MOON, N. J. Inhibition of the growth of acid tolerant yeasts by acetate, lactate and propionate and their synergistic mixtures 453
*MORDARSKI, M. Detection of ribosomal ribonucleic acid homologies amongst bacteria xvi
*MORISETTI, M., INGOLD, A. & KLIGER, B. N. Observations on the sensitivity of the membrane filtration method for detecting and counting *Escherichia coli* x
MORRIS, J. G. Anaerobiosis and energy yielding metabolism i
MOSS, M. O. A note on a prodigiosin-producing pseudomonad isolated from a lowland river 373
MOSTRATOS, A. *see* AL-QUDAH, A. A.
MOUTON, R. P. *see* LAMP, R. P. M.
MULDERS, S. L. T. *see* LAMP, R. P. M.
MUNN, E. A. *see* HAZLEWOOD, G. P.
MUTIMER, M. D. & WOOLCOCK, J. B. A note on hydrolytic enzymes of *Corynebacterium equi* 367
NAKAMURA, M., YOSHIMA, H., KOEDA, T. & SATO, S. Prevention of drug resistant *Escherichia coli* colonization on chickens by treatment with a faecal fluid 225
*NASH, R. A. *see* SHAH, H. N.
*NEDWELL, D. B. Interrelationships of sulphate-reducing bacteria with other bacteria in sediments iv
†NEUT, C. *see* BEERENS, H.
*NORRIS, J. R. *see* SHUTE, L. A.
*NUÑEZ, M. *see* GAYA, P.
O'BOYLE, D. A. *see* HENRY, D. P.
*O'DONNELL, A. G., MINNIKIN, D. E. & GOODFELLOW, M. Integrated lipid and wall analysis of actinomycetes xvi
OLD, D. C. & ADEGBOLA, R. A. A new mannose-resistant haemagglutinin in *Klebsiella* 165
OLD, D. C. *see* FARIS, A.
ORAGUI, J. I. *see* MARA, D. D.
O'TOOLE, D. K. Methods for the direct and indirect assessment of the bacterial content of milk 187
OULD, A. J. L. *see* JARVIS, B.
*OWEN, R. I. & PITCHER, D. Current methods for determining DNA base composition and levels of DNA : DNA hybridization xvi
*PARKES, R. J. & TAYLOR, J. The nutrition and physiology of sulphate-reducing bacteria iii
*PETITT, S. B. Detection of 'coliforms' and Enterobacteriaceae vii
PHILLIPS, A. P. & MARTIN, K. L. Comparison of direct and indirect immunoradiometric assays (IRMA) for *Bacillus anthracis* spores immobilised on multispot microscope slides 315
*PITCHER, D. *see* OWEN, R. J.
QUESNEL, L. B. *see* AL-QUDAH, A. A.
RAIBAUD, P. *see* CHAMP, M.

*READ, M-J. *see* SHARP, R. J.
*REYNOLDS, P. J. & COLLERAN, E. Comparison of COD removal and methanogenic activity in anaerobic filters xiv
†ROBERTS, T. A., MEAD, G. C. & HOBBS, G. The involvement of the intestinal anaerobes in the spoilage of meat, poultry and fish ii
†ROMOND, C. *see* BEERENS, H.
ROSCOE, M. E. *see* HURLEY, M. A.
*ROSS, D. & HAMILTON, W. A. Ecological studies on sulphate-reducing bacteria in off-shore oil storage systems xi
*ROSS, H. N. M., GRANT, W. D. & HARRIS, J. E. Lipid analysis in archaebacterial taxonomy xix
*RUSS, M. A., MAN, Y. M., KEITH, S. M. & HERBERT, R. A. The dual role of nitrate as a nitrogen source and electron acceptor for the growth of sulphate-reducing bacteria xv
SAMUEL, J. L. *see* HENRY, D. P.
SATO, S. *see* NAKAMURA, M.
*SCHAAL, K. P. Identification of clinically significant actinomycetes and related bacteria using chemical techniques xx
SCHERER, P. Separation of bacteria from a methanogenic wastewater population by utilizing a self-generating Percoll gradient 481
*SCHLEIFER, K. H. & SEID, P. H. Bacterial peptidoglycan composition xvii
*SCHOFIELD, J., MANSON, R. & JOHNSTON, R. Direct fluorescent microscopy–reaction between fluors and bacteria xii
SCOTT, R. I., YARLETT, N., HILLMAN, K., WILLIAMS, T. N., WILLIAMS, A. G. & LLOYD, D. The presence of oxygen liquor and its effects on methanogenesis 143
SCOTT, R. I. *see* YARLETT, N.
*SEIDL, P. H. *see* SCHLEIFER, K. H.
SEILER, D. A. L. *see* JARVIS, B.
SHAH, H. N. & COLLINS, M. D. Genus *Bacteroides*: A chemotaxonomical perspective 403
SHAH, H. N., COLLINS, M. D. & KROPPENSTEDT, R. M. Biochemical and chemical studies on *Bacteroides multiacidus* and *Bacteroides hypermegas* 151
*SHAH, H. N., NASH, R. A., HARDIE, J. M., WEETMAN, D. A., GEDDES, D. A. & MACFARLANE, T. W. Detection of acidic end products of metabolism of anaerobic Gram negative bacteria xix
SHAH, H. N. *see* KNIVETT, V. A.
SHAKESPEARE, A. P. *see* TAVAKKOL, A.
*SHAPTON, N. Milk and diary foods vi
SHARF, R. *see* KISH, S.
*SHARP, R. J. & READ, M. J. The application of ATP photometry to the monitoring of bacterial fermentation xiii
*SHAW, S. Detection of low numbers of micro-organisms with particular reference to pharmaceuticals, cosmetics and toiletries v
*SHAW, S. *see* KEDDIE, R. M.
*SHUTE, L. A., BERKELEY, R. C. W., NORRIS, J. R. & GUTTERIDGE, C. S. Pyrolysis mass spectrometry in bacterial systems xvi
*SHUTTLEWORTH, C. A. *see* TAVAKKOL, A.
*SILLEY, P. The effect of plant alkaloids on the fermentation of glucose by rumen microbes x
SOMASEGARAN, P., WOOLFENDEN, R. & HALLIDAY, J. Suitability of oven-dried root nodules for *Rhizobium* strain identification by immunofluorescence and agglutination 253
*STACKEBRANDT, E. *see* FOWLER, V. J.
*STANNARD, C. J. Indicator and pathogenic organisms from foods vii
STANNARD, C. J. & WOOD, J. M. The rapid estimation of microbial contamination of raw meat by measurement of adenosine triphosphate (ATP) 429
STENSTRÖM, I-M. *see* MOLIN, G.
*STEVENS, R. *see* DEW, I.
†STEWART, C. S. Rumen function with special reference to fibre digestion ii
*STEWART, D. J. Use of biocides for controlling SRBs iv
*STRINGER, M. F. *see* LUND, B. M.
SZYLET, O. *see* CHAMP, M.
*TAVAKKOL, A., DRUCKER, D. B., GHENGHESH, K. S., SHAKESPEARE, A. P. & SHUTTLEWORTH, C. A. Examination of eleven bacterial genera for amine production using combined gas chromatography–mass spectrometry xii
*TAVVAKKOL, A. *see* DRUCKER, D. B.
*TAYLOR, J. *see* PARKES, R. J.
TERNSTRÖM, A. *see* MOLIN, G.
THOMSON, R. H. *see* HENRY, D. P.
†THORLEY, C. M. *see* WALKER, P. D.
*THORPE, R. H. Microbiological requirements of water used in the food preservation industry vii
†TINDALL, B. J. & GRANT, W. D. The anoxygenic phototrophic bacteria i
WADSTRÖM, T. *see* FARIS, A.
*WALKER, P. D., THORLEY, C. M., FERNIE, D. S. & HINE, P. Anaerobic diseases in animals i
†WALLACE, E. T. *see* WATT, B.
*WALSH, A. L. Use of impedance measurements in the detection of micro-organisms in new milk, skimmed milk powder and other agricultural commodities v
*WALSH, M. Production and conveyance of water for pharmaceutical consumption vii
WATSON, D. H. A. *see* BATES, M. L.
†WATT, B. & WALLACE, E. T. The characterization of anaerobic cocci i
*WEETMAN, D. A. *see* SHAH, H. N.

WEST, P. A., LEE, J. V. & BRYANT, T. N. A numerical taxonomic study of species of *Vibrio* isolated from the aquatic environment and birds in Kent, England 263
*WHEATLEY, R. E. The anaerobic bacteria of a basin peat bog in Scotland x
WHITE, C. A. *see* BROCKLEHURST, T. F.
*WILKIE, A. & COLLERAN, E. SEM examination of the attached microbial flora in upflow anaerobic filters treating pig slurry xiv
WILLIAMS, A. G. & WITHERS, S. E. *Bacillus* spp. in the rumen ecosystem. Hemicellulose depolymerases and glycoside hydrolases of *Bacillus* spp. and rumen isolates grown under anaerobic conditions 283
WILLIAMS, A. G. *see* SCOTT, R. I.; *also* YARLETT, N.
WILLIAMS, A. P. *see* JARVIS, B.
WILLIAMS, R. A. D. *see* DENT, V. E.
WILLIAMS, T. N. *see* SCOTT, R. I.
†WIDELL, F. Sulphate-reducing bacteria and their ecological niches i
WITHERS, S. E. *see* WILLIAMS, A. G.
WOOD, D. A. *see* ATKEY, P. T.
WOOD, J. M. *see* STANNARD, C. J.
WOOLCOCK, J. B. *see* MUTIMER, M. D.
WOOLFENDEN, R. *see* SOMASEGARAN, P.
*WYATT, G. M. *see* LUND, B. M.
YARLETT, N., SCOTT, R. I., WILLIAMS, A. G. & LLOYD, D. A note on the effects of oxygen on hydrogen production by the rumen protozoon *Dasytricha ruminantium* Schuberg 359
YARLETT, N. *see* SCOTT, R. I.
YOSHIMURA, H. *see* NAKAMURA, M.
ZEMELMAN, R., GONZALEZ, C., MERINO, C., BELLO, H. & MONDACA, M. A. A note on the determination of antibiotic susceptibility of invasive strains of *Proteus* by a simple agar dilution method 371

Entries marked * refer to abstracts of titles of papers listed in Proceedings at Meetings of the Society for Applied Bacteriology. Small roman numerals refer to pages in Proceedings at Meetings of the Society for Applied Bacteriology.

Entries marked † refer to the titles of Symposium papers published in a separate volume.

Acetate (MOON) 453
*Acidic end products (SHAH, NASH, HARDIE, WEETMAN, GEDDES & MACFARLANE) xix
†Actinomycetes (BEERENS, NEUT & ROMOND) i; *(SCHAAL) xx
Aerobic end-products (DAINTY & HOFMAN) 127
Agaricus bisporus (ATKEY & WOOD) 293
Agglutination (SOMASEGARAN, WOOLFENDEN & HALLIDAY) 253
Agglutination-absorption (EVERY) 305
Amylases (CHAMP, SZYLIT, RAIBAUD & AÏT-ABDELKADER) 487
†Anaerobe identification (HARDIE) ii
†Anaerobes in foods (CROWTHER & BAIRD-PARKER) ii
†Anaerobes in industry (LATHAM) ii
Anaerobic (WILLIAMS & WITHERS) 283
†Anaerobic cocci (WATT & WALLACE) i
†Anaerobic diseases in animals (THORLEY, FERNIE & HINE) i
Anaerobiosis and energy (MORRIS) i
†Anoxygenic phototrophes (TINDALL & GRANT) i
Antibiotic (EADY, HOLLAND & CUNLIFFE) 461; (BATES, LINDSAY & WATSON) 495; (ZEMELMAN, GONZALEZ, MERINO, BELLO & MONDACA) 371
Antibiotic susceptibility test (LAMP, MOUTON & MULDERS) 209
Apis spp. (BAILEY) 65
†Aquatic anaerobes (JONES) i
Aquatic environment (WEST, LEE & BRYANT) 263
Asaccharolytic *Bacteroides* species (KNIVETT, SHAH, MCKEE & HARDY) 71
ATP in milk (O'TOOLE) 187
ATP measurement (STANNARD & WOOD) 429
*ATP photometry (SHARP & READ) xiii
Autoaggregation (FARIS, LINDAHL, LJUNGH, OLD & WADSTROM) 97
Bacillus (WILLIAMS & WITHERS) 283
Bacillus spores (PHILLIPS & MARTINS) 315
Bacteroides (LALIBERTE & MAYRAND) 247; (KNIVETT, SHAH, MCKEE & HARDY) 71
'*Bacteroides fragilis* group' (KNIVETT, SHAH, MCKEE & HARDY) 71
Bacteroides hypermegas (SHAH, COLLINS & KROPPENSTEDT) 151
Bacteroides multiacidus (SHAH, COLLINS & KROPPENSTEDT) 151
Bacteroides nodosus (EVERY) 305
*Bakery products (EASTER) vi
Bifidobacteria (MARA & ORAGUI) 349
†*Bifidobacterium* (BEERENS, NEUT & ROMAND) i
*Biochemical taxonomy (DENT & WILLIAMS) xix
Biological monitors (DADD, MCCORMICK & DALEY) 39
Black pigmented bacteroides (KNIVETT, SHAH, MCKEE & HARDY) 71
Black pigmented strains (LALIBERTE & MAYRAND) 247
*Blood cultures (BROWN) v
Bovine tubercle bacillus (COLLINS & GRANGE) 13
Brochothrix thermosphacta (DAINTY & HOFMAN) 233; (DAINTY & HIBBARD) 127
Butyrivibric S2 (HAZLEWOOD, CHO, DAWSON & MUNN) 337
**Campylobacter* (FRICKER) ix
Capnocytophager spp. (KNIVETT, SHAH, MCKEE & HARDY) 71
Casein (COLEMAN) 111
*Cell wall analysis (KEDDIE, BOUSFIELD, DANDO & SHAW) xviii
Cell walls (SHAH, COLLINS & KROPPENSTEDT) 151
*Chemosystematics (GOODFELLOW & MINNIKIN) xv
Chickens (CHAMP, SZYLIT, RAIBAUD & AÏT-ABDELKADER) 487
†Clostridia taxonomy (HOBBS) i
**Clostridium botulinum* (HUDSON, COHEN, HILL, KOLVIN & GILBERT) ix
Clostridium butylicum (GAPES, LARSEN & MADDOX) 363
**Clostridium perfringens* (BARTHOLOMEW & STRINGER) ix
**Clostridium sporogenes* (HUDSON, COHEN, HILL, KOLVIN & GILBERT) ix; (MICHELS & KAGEI) 203
*COD (REYNOLDS & COLLERAN) xiv
Coleslaw (BROCKLEHURST, WHITE & DENNIS) 57
*Coliforms (PETITT) vii
Colony counts by pour plate (O'TOOLE) 187
Columnar epithelium (MAYRA-MAKINEN, MANNINEN & GYLLENBERG) 241
Compost (ATKEY & WOOD) 293
Corynebacterium equi (MUTIMER & WOOLCOCK) 367

*Cosmetics (SHAW) v
Cows (DAVEY, BRUCE & DRYSDALE) 439
†Curved anaerobes (DRASAR) i
*Cytochrome (CARVER & JONES) xx
Dairy bacteriology (DAVIS) 1
†Dairy products (BERGERE & ACCOLAS) ii
Dasytricha ruminantium (YARLETT, SCOTT, WILLIAMS & LLOYD) 359
†Digestive tract (CHENG & COSTERTON) i
Direct microscope counts (O'TOOLE) 187
Dilution series (HURLEY & ROSCOE) 159
Domestic dog (MINTON, MARSH & ATKINSON) 445
DNA base composition (SHAH, COLLINS & KROPPENSTEDT) 151
*DNA : DNA hybridization (OWEN & PITCHER) xvi
Dover sole (CAMPBELL & BUSWELL) 215
Drug resistance (NAKAMURA, YOSHIMURA, KOEDA & SATO) 225
Egg yolk trypticase soy agar (MICHELS & KAGEI) 203
*Electrical measurement of growth (HOBBS) iv
Electron microscopy (ATKEY & WOOD) 293
Electrophoretic detection limits (BATES, LINDSAY & WATSON) 495
*Electrophoretic protein patterns (JACKMAN) xvi
Enumeration of moulds (JARVIS, SEILER, OULD & WILLIAMS) 325
Enzymes (MUTIMER & WOOLCOCK) 367; (SHAH, COLLINS & KROPPENSTEDT) 151
Escherichia coli (HENRY, FROST, SAMUEL, O'BOYLE & THOMSON) 89; *(MORISETTI, INGOLD & KLIGER) x; (NAKAMURA, YOSHIMURA, KOEDA & SATO) 225
Ethylene oxide (DADD, MCCORMICK & DALEY) 39
†*Eubacterium* (BEERENS, NEUT & ROMOND) i
European foulbrood (BAILEY) 65
Fatty acids (EMBLEY, GOODFELLOW, MINNIKIN & AUSTEN) 31; *(KROPPENSTEDT) xvii
Faeces (DAVEY, BRUCE & DRYSDALE) 439
Fermented products (CARR) 383
*Filaments (DEW, BEVERIDGE, BOYD, STEVENS & ASHTON) xi
Fimbriae (FARIS, LINDAHL, LJUNGH, OLD & WADSTROM) 97
*FISH (GIBSON) vi
*Flours (SCHOFIELD, MASON & JOHNSTON) xii
Food (HURST & HUGHES) 81
Formaldehyde (HURRELL, LINE & CUTTS) 135
Fraction 1 leaf protein (COLEMAN) 11
Freshwater pseudomonads (MOSS) 373
Gas atmospheres (EKLUND & JARMUND) 119
*Gas chromatography–mass spectrometry (TAVAKKOL, DRUCKER, GHENGHESH, SHAKESPEARE & SHUTTLEWORTH) xii
Glucose (DAINTY & HOFMAN) 233
*Glycolmonophenylethers (DEW, BEVERIDGE, BOYD, STEVENS & ASHTON) xi
Glycoside hydrolase (WILLIAMS & WITHERS) 283
Haemagglutinin (FARIS, LINDAHL, LJUNGH, OLD & WADSTROM) 97; (OLD & ADEGBOLA) 165
Hazard analysis (BROUGHALL, ANSLOW & KILSBY) 101
Hemicellulase (WILLIAMS & WITHERS) 283
Herrings (MOLIN, STENSTRÖM & TERNSTROM) 49
History of dairy bacteriology (DAVIS) 1
Honey bee disease (BAILEY) 65
Human pollution (MARA & ORAGUI) 349
Husbandry (BATES, LINDSAY & WATSON) 495
Hydrophobic interaction (FARIS, LINDAHL, LJUNGH, OLD & WADSTROM) 97
Immunofluorescence (SOMASEGARAN, WOOLFENDEN & HALLIDAY) 253
Immunoradiometric assays (PHILLIPS & MARTIN) 315
Impedance method (O'TOOLE) 187
Indicator bacteria (MARA & ORAGUI) 349
Inhibition of growth (MOON) 453
Inhibition test (BATES, LINDSAY & WATSON) 495
Inoculum reproducibility (AL-HITI & GILBERT) 173
†Intestinal microflora (BARNES) ii; (CAMPBELL & BUSWELL) 215
Isoprenoid quinones (COLLINS) xviii; (EMBLEY, GOODFELLOW, MINNIKIN & AUSTIN) 31
Klebsiella (OLD & ADEGBOLA) 165
Lactate (MOON) 453
Lactic acid bacteria (CHAMP, SZYLIT, RAIBAUD & AÏT-ABDELKADER) 487; MÄYRÄ-MÄKINEN, MANNINEN & GYLLENBERG) 241
**Legionella* (BARTLETT) viii
Life cycle (AL-QUDAH, MOSTRATOS & QUESNEL) 417
Lipids (SHAH, COLLINS & KROPPENSTEDT) 151
*Lipids in archaebacterial taxonomy (ROSS, GRANT & HARRIS) xix
Lipolytic enzymes (HAZLEWOOD, CHO, DAWSON & MUNN) 337
*Lipopolysaccheride and sugars (JANTZEN & BRYN) xvii
Mannose-resistant (OLD & ADEGBOLA) 165
Mathematical models (BROUGHALL, ANSLOW & KILSBY) 101
Meat (BELL & DE LACY) 473; (MADDEN & BOLTON) x; (STANNARD & WOOD) 429
Melissococcus pluton (BAILEY) 65
Membrane filters (O'TOOLE) 187; *(MORISETTI, INGOLD & KLIGER) x
†Methanogenic bacteria (ARCHER & HARRIS) i; (SCHERER) 481
Methanogenesis (SCOTT, YARLETT, HILLMAN, WILLIAMS, WILLIAMS & LLOYD) 143
Microculture (EKLUND & JARMUND) 119

Microflora (MOLIN, STENSTRÖM & TERNSTROM) 49
Milk (O'TOOLE) 187; *(SHAPON) vi; *(WALSH) v
*Miniaturised identification methods (LEVETT) xiii
Moulds in food and feedingstuffs (JARVIS, SELLER, OULD & WILLIAMS) 325
MPN (HURLEY & ROSCOE) 159
MPN-values (DESCHACHT) 499
Multiple antibiotic resistant faecal coliforms (MINTON, MARSH & ATKINSON) 445
Mushroom (ATKEY & WOOD) 293
*Mycobacteria (COLLINS) viii
*Mycobacterial lipids (DOBSON, MINNIKIN & GOODFELLOW) xviii
*Nitrifying bacteria from soil and marine sediments (MACFARLANE & HERBERT) xiv
Nitrite loss (BELL & DE LACY) 473
*Nitrogen and sulphate reducers (RUSS, MAN, KEITH & HERBERT) xv
†Nitrogen in gut (HILL & COOK) ii
Numerical taxonomy (WEST, LEE & BRYANT) 263
*Nutrition and physiology of sulphate-reducers (PARKES) iii
*Oil (ROSS & HAMILTON) xi
Oven dried root-nodules (SOMASEGARAN, WOOLFENDEN & HALLIDAY) 253
Oxygen (SCOTT, YARLETT, HILLMAN, WILLIAMS, WILLIAMS & LLOYD) 143
*Pathogens (FRICKER) viii
Pathogens in foods (STANNARD) vii
*Peat bog (WHEATLEY) x
*Peptidoglycan (SCHLEIFER & SEIDL) xvii
Percoll (SCHERER) 481
*Pectin use by faeces bacteria (KAISER) xiii
*Pharmaceuticals (SHAW) v
*Plant alkaloids (SILLEY) x
†Plants (LUND) ii
Pocket calculator (DESCHACHT) 499
Polar lipids (EMBLEY, GOODFELLOW, MINNIKIN & AUSTIN) 31
†Preservation (IMPEY) ii
Prevention of colonization (NAKAMURA, YOSHIMURA, KOEDA & SATO) 225
Prodigiosin-producing pseudomonad (MOSS) 373
Propionate (MOON) 453
†*Propionibacterium* (BEERENS, NEUT & ROMOND) i
Proteus (ZEMELMAN, GONZALEZ, MERINO, BELLO & MONDICA) 371
Protoplasts of a rumen bacterium (HAZLEWOOD, CHO, DAWSON & MUNN) 337
Protozoa (COLEMAN) 111
Pseudomonad producing prodigiosin (MOSS) 373
*Public water supply (COLBOURNE) vii
*Pyrolysis mass spectrometry (SHUTE, BERKELEY, NORRIS & GUTTERIDGE) xvi
Pyruvate in milk (O'TOOLE) 187
Rapid estimation (STANNARD & WOOD) 429
*Redox potential (INGOLD & HAVILL) xi; (LUND & WYATT) ix; *(MADDEN & BOLTON) x
R-factors (MINTON, MARSH & ATKINSON) 445
Reiter treponeme (AL-QUDAH, MOSTRATOS & QUESNEL) 417
Renibacterium salmoninarum (EMBLEY, GOODFELLOW, MINNIKIN & AUSTIN) 31
Resistance (DADD, MCCORMICK & DALEY) 39
Rhizobium (SOMASEGARAN, WOOLFENDEN & HALLIDAY) 253
*Ribisomal ribonucleic acid (FOWLER, LUDWIG & STACKEBRANDT) xv; *(MORDARSKI) xvi
Rumen (COLEMAN) 111; *(SILLEY) x; (WILLIAMS & WITHERS) 283; *(STEWART) ii; (SCOTT, YARLETT, HILLMAN, WILLIAMS, WILLIAMS & LLOYD) 143; (YARLETT, SCOTT, WILLIAMS & LLOYD) 359
Salmonella (HENRY, FROST, SAMUEL, O'BOYLE & THOMSON) 89
**Salmonella typhimurium* (MACKEY & DERRICK) xii
Salting out (FARIS, LINDAHL, LJUNGH, OLD & WADSTROM) 97
*SEM examination of pig slurry (WILKIE & COLLERAN) xiv
Semi-automated testing (LAMP, MOUTON & MULDERS) 209
*Sheep mild cheese (GAYA, MEDINA & NUÑEZ) xiii
*Skimmed milk powder (WALSH) v
*Sodium chloride (LUND & WYATT) ix
Solea solea (CAMPBELL & BOSWELL) 215
Solvent production (GAPES, LARSEN & MADDOX) 363
†Spiral anaerobes (DRASAR) i
Spoilage of meat (BELL & DE LACY) 473; †(ROBERTS) ii
Staphylococcus aureus (HURST & HUGHES) 81
Staphylococcus epidermidis (EADY, HOLLAND & CUNLIFFE) 461
Statistical analysis (HURLEY & ROSCOE) 159
Steam-formaldehyde (HURRELL, LINE & CUTTS) 135
Sterilizer (HURRELL, LINE & CUTTS) 135
Storage (MOLIN, STENSTRÖM & TERNSTRÖM) 49
Subcellular fractionation of *Butyrivibrio* sp. (HAZELWOOD, CHO, DAWSON & MUNN) 337
†Sulphate-reducers (WEDDELL) i
*Sulphate-reducers and corrosion (HAMILTON) iii; *(HARDY & BROWN) iii
*Sulphate-reducers and other sediment bacteria (NEDWELL) iv
*Sulphate-reducers controlled by biocides (STEWART) iv

*Sulphate-reducers, isolation of (HERBERT & GILBERT) iii
*Systematics of sulphate-reducers (BATTERSBY) ii
Taxonomy (SHAH, COLLINS & KROPPENSTEDT) 151; †(GOLDBERG) i
*Toiletries (SHAW) v
Tuberculosis (COLLINS & GRANGE) 13
*Urine cultures (BROWN) v
Vibrio (WEST, LEE & BRYANT) 263
*Volatile end-products (DRUCKER & TAVAKKOL) xix
*Wall analysis (O'DONNELL, MINNIKIN & GOODFELLOW) xvi
Wastewater (SCHERER) 481
Water activity (BROUGHALL, ANSLOW & KILSBY) 101
*Water for pharmaceutical use (WALSH) vii
*Water in food preservation (THORPE) vii
Water pollution (MARA & ORAGUI) 349
Wheat straw (ATKEY & WOOD) 293
Wine (KISH, SHARF & MARGALITH) 177
Yeasts (BROCKLEHURST, WHITE & DENNIS) 57; (KISH, SHARF & MARGALITH) 177; (MOON) 453
Yersinia enterocolitica (DAVEY, BRUCE & DRYSDALE) 439; (FARIS, LINDAHL, LJUNGH, OLD & WADSTROM) 97